The Executive Engineer or his representatives will inspect the wood as it is being stacked and shall have power to reject any pieces that are hollow, rotton, crooked or otherwise unsuitable for fuel for engines; he will also satisfy himself that the pieces are in accordance with the dimensions specified above and that the stacks are built as required : he shall also have power to reject any stacks which do not, in all respects, comply with the terms of this specification.

The wood must be at the risk of the contractor until it is stacked, approved, measured and accepted by the Executive Engineer or his representatives.

When the stacks are taken over, the contractor or his representative must be present during the measurement and must sign the record of measurement made by the Executive Engineer or his representatives in token of his agreement to the correctness thereof.

The quantity required is 2,500 tons in case of casuarina, or 3,000 tons in case of jungle fuel to Soldevanahalli Pumping Station. The quantity required is 7,500 tons in case of casuarina, or 9,000 tons in case of jungle fuel to the Bethamangala Pumping Station.

It should be delivered at the rate of 250 tons and 750 tons per month respectively to Soldevanahalli and Bethamangala Pumping Stations, commencing from the date on which the contract is accepted.

R. G. FOREGARD, for *Executive Engr.*

BANGALORE CITY MUNICIPALITY.

Notice dated 8th April 1904.

It is hereby notified for public information that the office of the Registrar of Births and Deaths of the IV and V Divisions of the City has been removed to the Old Taluk Cutcherry buildings, and that reports of births and deaths and illness occurring in these Divisions have to be made there.

Notice dated 11th April 1904.

Under Sections 72 and 73 of the Bangalore Town Municipal Regulations of 1871, the public are informed that the valuation and assessment of houses and buildings newly built and of those enlarged and improved and of shops newly opened and re-opened within the past one year, have been completed in the City. The assessment book is available for inspection of persons interested in the Collection Department of the Municipal Office, District office road, on office days and during office hours. The President will proceed to revise the said valuation and assessment on the days and at the time noted below. Applications for revision will be received up to three days before the dates fixed for the respective Divisions.

Name of Division.	Date fixed.	Time.
	May 1904	
I. Palace Division	3rd Tuesday ...	7-30 a. m. to 10 a. m.
II. Balepete do	5th Thursday ..	Do
III. Manavarthpete Division . ..	7th Saturday ...	Do
IV. Ulsurpete do	10th Tuesday ..	Do
V. Nagarathpete do	12th Thursday ..	Do
VI. Lal-Bagh do	14th Saturday ...	Do
VII. Fort and Chamarajendrapete ...	17th Tuesday ..	Do

P. PALPU, for *President.*

MYSORE CITY MUNICIPALITY.

Notice dated 17th April 1904.

The following business will be transacted at the Ordinary meeting of the Municipal Commissioners for the City of Mysore to be held in the Rangacharlu Memorial Hall at 7-30 A. M, on Saturday the 30th April 1904: –

I. Consideration of accounts of receipts and disbursements with the Auditor's report and also vital and other statistics for the month of March 1904.

II. Consideration of Government Proceedings No. 3490-99—L. F. 98-95, dated 14th March 1904, *in re* the exemption of Octroi duty on cloths and other dutiable articles on which duty has once been levied in one Municipality.

III. Vice-President's memo dated 9th March 1904, requesting the instructions of the Board as to the levy of water tax for house service connections in the case of one-inch pipe with half-inch tap for which no rate has been given in the rules on the subject.

IV. Vice-President's memo dated 13th March 1904, requesting permission to levy taxes on carriages and horses and other animals, etc., as per rates given in Schedule A of the Municipal Regulation.